



Outboard Marine Sleeves
 Toll Free 1-866-753-3832
 advancedsleeve.com

OMC (Johnson/Evinrude)

H.P.	Year	# Cyl	Description	Type	Bore	Length	OD	Part #	Price
9.9 15	1980-92	2	STRAIGHT SLEEVE WITHOUT PORTS	CS	2.1875"	3.530"	2.313"	1031SA	\$90.61 (D0985)
	2.375"						1031SB	\$90.61 (D0985)	
9.9 15	1993-04	2	STRAIGHT SLEEVE WITHOUT PORTS	CS	2.375"	3.530"	2.500" 2.520"	1147SA 1147SB	\$90.61 (D0985) \$90.61 (D0985)
20	1985-00	2	STRAIGHT SLEEVE WITHOUT PORTS CROSSFLOW	CS	3.000"	5.250"	3.125"	1011SA	\$66.58 (D8234)
							3.188"	1011SB	\$66.58 (D8234)
							3.250"	1011SC	\$66.58 (D8234)
25 28 30	1976-04 1986-89 1985-04	2	STRAIGHT SLEEVE WITHOUT PORTS CROSSFLOW	CS	3.000"	5.250"	3.125" 3.188" 3.250"	1011SA 1011SB 1011SC	\$66.58 (D8234) \$66.58 (D8234) \$66.58 (D8234)
30 35	1998-00	3	STRAIGHT SLEEVE WITH PORTS MIRAGE	CS	2.500"	4.687"	2.702" 2.722"	1141SA 1141SB	\$127.95 (D7138) \$127.95 (D7138)
40	1968-76	2	STRAIGHT SLEEVE WITHOUT PORTS CROSSFLOW	CS	3.187"	5.050"	3.312"	1064SA	\$66.58 (D8234)
							3.333"	1064SB	\$66.58 (D8234)
							3.353"	1064SC	\$66.58 (D8234)
40	1981-87	2	STRAIGHT SLEEVE WITHOUT PORTS CROSSFLOW	CS	3.000"	5.250"	3.125"	1011SA	\$66.58 (D8234)
							3.188"	1011SB	\$66.58 (D8234)
							3.250"	1011SC	\$66.58 (D8234)
40 45 48	1985-04 1985-91 1987-93	2	STRAIGHT SLEEVE WITH PORTS	RS	3.187"	5.585"	3.442"	1007SA	\$117.49 (D7367)
	FLANGED SLEEVE WITH PORTS .250" Flange Thickness						3.473"	1007SB	\$117.49 (D7367)
							3.453"	1007FA	\$124.61 (D0018)
50	1971-75	2	FLANGED SLEEVE WITH PORTS .125" Flange Thickness	CS	3.062"	5.440"	3.313"	1078FA	\$124.83 (D4118)
								3.333"	1078FB
50	1979-80	2	FLANGED SLEEVE WITH PORTS .125" Flange Thickness	CS	3.187"	5.450"	3.313"	1010FA	\$124.61 (D0018)
								3.333"	1010FB
50	1987-04	2	STRAIGHT SLEEVE WITH PORTS	RS	3.187"	5.585"	3.442"	1007SA	\$117.49 (D7367)
							3.473"	1007SB	\$117.49 (D7367)
			FLANGED SLEEVE WITH PORTS .250" Flange Thickness					3.442"	1007FA
50	1995-98	2	STRAIGHT SLEEVE WITH PORTS OVAL EXHAUST	RS	3.187"	4.530"	3.444"	1088SA	\$117.49 (D7367)
							3.464"	1088SB	\$117.49 (D7367)
			FLANGED SLEEVE WITH PORTS OVAL EXHAUST, .750" Flange Thickness					3.444"	1088FA
55	1976-78	2	FLANGED SLEEVE WITH PORTS 3 EXHAUST PORTS, .125" Flange Thickness	CS	3.187"	5.445"	3.313"	1009FA	\$124.61 (D0018)
							3.333"	1009FB	\$124.61 (D0018)
55	1979-80	2	FLANGED SLEEVE WITH PORTS 2 EXHAUST PORTS, .125" Flange Thickness	CS	3.187"	5.445"	3.313"	1008FA	\$124.61 (D0018)
							3.333"	1008FB	\$124.61 (D0018)
55 60	1981-95 1980-85	2	STRAIGHT SLEEVE WITH PORTS	RS	3.187"	5.585"	3.442"	1007SA	\$117.49 (D7367)
							3.473"	1007SB	\$117.49 (D7367)
			FLANGED SLEEVE WITH PORTS .250" Flange Thickness					3.442"	1007FA
60	1986-89	3	STRAIGHT SLEEVE WITH PORTS	CS	3.000"	4.750"	3.190"	1003SA	\$117.72 (D2567)
							3.210"	1003SB	\$117.72 (D2567)
			FLANGED SLEEVE WITH PORTS .125" Flange Thickness					3.190"	1003FA
							3.210"	1003FB	\$124.83 (D4118)

Custom Sleeves manufactured to your exact specifications



**Outboard Marine
Sleeves**
Toll Free 1-866-753-3832
advancedsleeve.com

OMC (Johnson/Evinrude)

H.P.	Year	# Cyl	Description	Type	Bore	Length	OD	Part #	Price	
60	1986-93	3	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.187"	4.600"	3.444"	1006SA	\$117.49 (D7367)	
							3.464"	1006SB	\$117.49 (D7367)	
							3.484"	1006SC	\$117.49 (D7367)	
			FLANGED SLEEVE WITH PORTS BRIDGED EXHAUST, .750" Flange Thickness				3.444"	1006FA	\$124.61 (D0018)	
60	1993-00	3	STRAIGHT SLEEVE WITH PORTS OVAL EXHAUST	RS	3.187"	4.530"	3.444"	1088SA	\$117.49 (D7367)	
							3.464"	1088SB	\$117.49 (D7367)	
							3.444"	1088FA	\$124.61 (D0018)	
			FLANGED SLEEVE WITH PORTS OVAL EXHAUST, .750" Flange Thickness							
60	ALL	3	STRAIGHT SLEEVE WITH PORTS SST 60 RACE SLEEVE APBA APPROVED	RS	3.187"	4.560"	3.444"	1119SA	\$131.72 (D2658)	
							3.464"	1119SB	\$131.72 (D2658)	
65 70	1972-73 1974-79	3	STRAIGHT SLEEVE WITH PORTS	CS	3.000"	4.750"	3.190"	1003SA	\$117.72 (D2567)	
							3.210"	1003SB	\$117.72 (D2567)	
							3.190"	1003FA	\$124.83 (D4118)	
			FLANGED SLEEVE WITH PORTS .125" Flange Thickness				3.210"	1003FB	\$124.83 (D4118)	
70	1986-92	3	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.187"	4.600"	3.444"	1006SA	\$117.49 (D7367)	
							3.464"	1006SB	\$117.49 (D7367)	
							3.484"	1006SC	\$117.49 (D7367)	
			FLANGED SLEEVE WITH PORTS BRIDGED EXHAUST, .750" Flange Thickness				3.444"	1006FA	\$124.61 (D0018)	
70	1993-00	3	STRAIGHT SLEEVE WITH PORTS OVAL EXHAUST	RS	3.187"	4.530"	3.444"	1088SA	\$117.49 (D7367)	
							3.464"	1088SB	\$117.49 (D7367)	
							3.444"	1088FA	\$124.61 (D0018)	
			FLANGED SLEEVE WITH PORTS OVAL EXHAUST, .750" Flange Thickness							
75	1975-89	3	STRAIGHT SLEEVE WITH PORTS	CS	3.000"	4.750"	3.190"	1003SA	\$117.72 (D2567)	
							3.210"	1003SB	\$117.72 (D2567)	
							3.190"	1003FA	\$124.83 (D4118)	
			FLANGED SLEEVE WITH PORTS .125" Flange Thickness				3.210"	1003FB	\$124.83 (D4118)	
85 100	1969-76 1971-72	4	STRAIGHT SLEEVE WITHOUT PORTS	CS	3.375"	5.510"	3.500"	1049SA	\$66.58 (D8234)	
							3.563"	1049SB	\$66.58 (D8234)	
							3.625"	1049SC	\$66.58 (D8234)	
			FLANGED SLEEVE WITHOUT PORTS 1.000" Flange Thickness				3.500"	1049FA	\$85.94 (D6855)	
90	1995-99	4	60 DEGREE FASTRIKE STRAIGHT SLEEVE WITH PORTS SLEEVES ARE PORT AND STARBOARD 1.753" EXHAUST HEIGHT	RS	3.600"	5.075"	3.800"	1097PSA	\$124.83 (D4118)	
							3.820"	1097PSB	\$124.83 (D4118)	
							3.800"	1097SSA	\$124.83 (D4118)	
							3.820"	1097SSB	\$124.83 (D4118)	
90	1999-01	4	60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS SLEEVES ARE PORT AND STARBOARD 1.610" EXHAUST HEIGHT	RS	3.600"	5.075"	3.800"	1125PSA	\$139.09 (D1409)	
							3.820"	1125PSB	\$139.09 (D1409)	
							3.800"	1125SSA	\$139.09 (D1409)	
							3.820"	1125SSB	\$139.09 (D1409)	
90 115 GT100	1980-98 1980-98 1993	4	STRAIGHT SLEEVE WITHOUT PORTS 3 1/2" CROSSFLOW	CS	3.500"	5.125"	3.628"	1000SA	\$66.58 (D8234)	
							3.690"	1000SB	\$66.58 (D8234)	
							3.753"	1000SC	\$66.58 (D8234)	
				FLANGED SLEEVE WITHOUT PORTS 1.250" Flange Thickness				3.628"	1000FA	\$71.61 (D6855)
								3.690"	1000FB	\$71.61 (D6855)
								3.753"	1000FC	\$71.61 (D6855)
			FLANGED SLEEVE WITHOUT PORTS .200" Flange Thickness				3.628"	1198FA	\$85.75 (D4755)	
							3.690"	1198FB	\$85.75 (D4755)	
							3.753"	1198FC	\$85.75 (D4755)	



Outboard Marine Sleeves

Toll Free 1-866-753-3832
advancedsleeve.com

OMC (Johnson/Evinrude)

H.P.	Year	# Cyl	Description	Type	Bore	Length	OD	Part #	Price	
115	1995-04	4	60 DEGREE FASTRIKE STRAIGHT SLEEVE WITH PORTS SLEEVES ARE PORT AND STARBOARD 1.673" EXHAUST HEIGHT	RS	3.600"	5.075"	3.800"	1098PSA	\$124.83 (D4118)	
							3.820"	1098PSB	\$124.83 (D4118)	
							3.800"	1098SSA	\$124.83 (D4118)	
							3.820"	1098SSB	\$124.83 (D4118)	
115	1974-94	4	STRAIGHT SLEEVE WITHOUT PORTS 3 1/2" CROSSFLOW	CS	3.500"	5.125"	3.628"	1000SA	\$66.58 (D8234)	
3.690"	1000SB						\$66.58 (D8234)			
3.753"	1000SC						\$66.58 (D8234)			
125	1971-72		FLANGED SLEEVE WITHOUT PORTS 1.250" Flange Thickness					3.628"	1000FA	\$85.94 (D6855)
135	'73-Later							3.690"	1000FB	\$85.94 (D6855)
140	1976-84							3.753"	1000FC	\$85.94 (D6855)
			FLANGED SLEEVE WITHOUT PORTS .200" Flange Thickness					3.628"	1198FA	\$85.75 (D8758)
								3.690"	1198FB	\$85.75 (D8758)
		3.753"						1198FC	\$85.75 (D8758)	
115	1999-UP	4	60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS SLEEVES ARE PORT AND STARBOARD 1.610" EXHAUST HEIGHT	RS	3.600"	5.075"	3.800"	1125PSA	\$139.09 (D1409)	
							3.820"	1125PSB	\$139.09 (D1409)	
							3.800"	1125SSA	\$139.09 (D1409)	
							3.820"	1125SSB	\$139.09 (D1409)	
120	1985-89	4	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.500"	5.995"	3.875"	1023SA	\$124.83 (D4118)	
							3.895"	1023SB	\$124.83 (D4118)	
			FLANGED SLEEVE WITH PORTS BRIDGED EXHAUST, .250" Flange Thickness				3.875"	1023FA	\$131.97 (D8758)	
							3.895"	1023FB	\$131.97 (D8758)	
120	1988-94	4	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.685"	5.225"	3.875"	1002SA	\$120.38 (D5287)	
							3.895"	1002SB	\$120.38 (D5287)	
	125	1988-91	4				FLANGED SLEEVE WITH PORTS BRIDGED EXHAUST, .375" Flange Thickness	3.915"	1002SC	\$120.38 (D5287)
								3.875"	1002FA	\$151.35 (D8389)
				3.895"	1002FB	\$151.35 (D8389)				
				3.915"	1002FC	\$151.35 (D8389)				
130	1995-00	4	STRAIGHT SLEEVE WITH PORTS	RS	3.685"	5.225"	3.875"	1081SA	\$120.38 (D5287)	
							3.895"	1081SB	\$120.38 (D5287)	
135	2000	4	60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS HAS EXTRA OILING, 1.700" EXHAUST HEIGHT / Port	RS	3.600"	5.075"	3.800"	1156PSA	\$139.09 (D1409)	
							3.820"	1156PSB	\$139.09 (D1409)	
			60 DEGREE FICHT FLANGE SLEEVE WITH PORTS HAS EXTRA OILING, 1.700" EXHAUST HEIGHT / Starboard				3.800"	1156SSA	\$139.09 (D1409)	
							3.820"	1156SSB	\$139.09 (D1409)	
140	1985-91	4	STRAIGHT SLEEVE WITH PORTS	RS	3.500"	5.995"	3.875"	1023SA	\$124.83 (D4118)	
							3.895"	1023SB	\$124.83 (D4118)	
140	1988-94	4	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.685"	5.225"	3.875"	1002SA	\$120.38 (D5287)	
							3.895"	1002SB	\$120.38 (D5287)	
			FLANGED SLEEVE WITH PORTS BRIDGED EXHAUST, .375" Flange Thickness				3.915"	1002SC	\$120.38 (D5287)	
							3.875"	1002FA	\$151.35 (D8389)	
				3.895"	1002FB	\$151.35 (D8389)				
				3.915"	1002FC	\$151.35 (D8389)				
150	1991	6	60 DEGREE FASTRIKE STRAIGHT SLEEVE WITH PORTS 1.660" EXHAUST HEIGHT / Port	RS	3.600"	5.075"	3.800"	1066PSA	\$124.83 (D4118)	
							3.820"	1066PSB	\$124.83 (D4118)	
			60 DEGREE FASTRIKE STRAIGHT SLEEVE WITH PORTS 1.660" EXHAUST HEIGHT / Starboard				3.800"	1066SSA	\$124.83 (D4118)	
							3.820"	1066SSB	\$124.83 (D4118)	
150	1992-04	6	60 DEGREE FASTRIKE STRAIGHT SLEEVE WITH PORTS 1.700" EXHAUST HEIGHT / Port	RS	3.600"	5.075"	3.800"	1045PSA	\$124.83 (D4118)	
							3.820"	1045PSB	\$124.83 (D4118)	
							3.840"	1045PSC	\$124.83 (D4118)	
			60 DEGREE FASTRIKE STRAIGHT SLEEVE WITH PORTS 1.700" EXHAUST HEIGHT / Starboard				3.800"	1045SSA	\$124.83 (D4118)	
3.820"	1045SSB	\$124.83 (D4118)								
				3.840"	1045SSC	\$124.83 (D4118)				



Outboard Marine Sleeves
 Toll Free 1-866-753-3832
 advancedsleeve.com

OMC (Johnson/Evinrude)

H.P.	Year	# Cyl	Description	Type	Bore	Length	OD	Part #	Price
150	1994-UP	6	60 DEGREE GL FASTRIKE INTRUDER STRAIGHT SLEEVE WITH PORTS, 1.700" EXHAUST HEIGHT / Port	RS	3.600"	5.075"	3.800"	1126PSA	\$124.83 (D4118)
			3.820"				1126PSB	\$124.83 (D4118)	
			60 DEGREE GL FASTRIKE INTRUDER STRAIGHT SLEEVE WITH PORTS, 1.700" EXHAUST HEIGHT / Starboard				3.800"	1126SSA	\$124.83 (D4118)
							3.820"	1126SSB	\$124.83 (D4118)
150	1997-99	6	60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS HAS EXTRA OILING 1.720" EXHAUST HEIGHT / Port	RS	3.600"	5.075"	3.800"	1116PSA	\$139.09 (D1409)
			3.820"				1116PSB	\$139.09 (D1409)	
			60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS HAS EXTRA OILING 1.720" EXHAUST HEIGHT / Starboard				3.800"	1116SSA	\$139.09 (D1409)
							3.820"	1116SSB	\$139.09 (D1409)
150	2000	4	60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS HAS EXTRA OILING, 1.700" EXHAUST HEIGHT / Port	RS	3.600"	5.075"	3.800"	1156SSA	\$139.09 (D1409)
			3.820"				1156SSB	\$139.09 (D1409)	
			60 DEGREE FICHT FLANGE SLEEVE WITH PORTS HAS EXTRA OILING, 1.700" EXHAUST HEIGHT / Starboard				3.800"	1156PSA	\$139.09 (D1409)
							3.820"	1156PSB	\$139.09 (D1409)
175	1976-91	6	STRAIGHT SLEEVE WITHOUT PORTS CROSSFLOW	CS	3.625"	5.125"	3.753"	1001SA	\$66.58 (D8234)
							3.815"	1001SB	\$66.58 (D8234)
							3.878"	1001SC	\$66.58 (D8234)
			FLANGED SLEEVE WITHOUT PORTS CROSSFLOW, 1.425" Flange Thickness				3.753"	1001FA	\$85.94 (D6855)
							3.815"	1001FB	\$85.94 (D6855)
			3.878"	1001FC	\$85.94 (D6855)				
175	1992-95	6	60 DEGREE FASTRIKE STRAIGHT SLEEVE WITH PORTS 1.690" EXHAUST HEIGHT/ Port	RS	3.600"	5.075"	3.800"	1065PSA	\$124.83 (D4118)
			3.820"				1065PSB	\$124.83 (D4118)	
			60 DEGREE FASTRIKE STRAIGHT SLEEVE WITH PORTS 1.690" EXHAUST HEIGHT/ Starboard				3.800"	1065SSA	\$124.83 (D4118)
							3.820"	1065SSB	\$124.83 (D4118)
175	1997-99	6	60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS HAS EXTRA OILING 1.640" EXHAUST HEIGHT / Port	RS	3.600"	5.075"	3.800"	1110PSA	\$139.09 (D1409)
			3.820"				1110PSB	\$139.09 (D1409)	
			60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS HAS EXTRA OILING 1.640" EXHAUST HEIGHT / Starboard				3.800"	1110SSA	\$139.09 (D1409)
							3.820"	1110SSB	\$139.09 (D1409)
175	2000	6	60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS HAS EXTRA OILING 1.620" EXHAUST HEIGHT / Port	RS	3.600"	5.075"	3.800"	1121PSA	\$139.09 (D1409)
			3.820"				1121PSB	\$139.09 (D1409)	
			60 DEGREE FICHT STRAIGHT SLEEVE WITH PORTS HAS EXTRA OILING 1.620" EXHAUST HEIGHT / Starboard				3.800"	1121SSA	\$139.09 (D1409)
							3.820"	1121SSB	\$139.09 (D1409)
200	1985-87	6	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.500"	5.995"	3.875"	1023SA	\$124.83 (D4118)
			3.885"				1023SB	\$124.83 (D4118)	
			FLANGE SLEEVE WITH PORTS BRIDGED EXHAUST, .250" Flange Thickness				3.875"	1023FA	\$131.97 (D8758)
							3.895"	1023FB	\$131.97 (D8758)
200XP	1988-92	6	STRAIGHT SLEEVE WITH PORTS OVAL EXHAUST	RS	3.685"	5.225"	3.875"	1025SA	\$120.38 (D5287)
							3.895"	1025SB	\$120.38 (D5287)
							3.915"	1025SC	\$120.38 (D5287)
			FLANGED SLEEVE WITH PORTS OVAL EXHAUST, .375" Flange Thickness				3.875"	1025FA	\$151.35 (D8389)
							3.895"	1025FB	\$151.35 (D8389)
			3.915"	1025FC	\$151.35 (D8389)				
200	1991-02	6	OCEAN PRO STRAIGHT SLEEVE WITH PORTS 4 FINGER PORTS	RS	3.685"	5.225"	3.875"	1040SA	\$120.38 (D5287)
			3.895"				1040SB	\$120.38 (D5287)	
			3.915"				1040SC	\$120.38 (D5287)	
			OCEAN PRO FLANGE SLEEVE WITH PORTS 4 FINGER PORTS, .250" Flange Thickness				3.895"	1040FB	\$139.91 (D4909)
							3.895"	1197FB	\$139.91 (D4909)
200	1999-UP	6	3L FICHT WITH 4 FINGER PORTS FLANGED SLEEVE, .150" Flange Thickness	RS	3.685"	5.230"	3.975"	1113FA	\$152.58 (D8199)
			3.995"				1113FB	\$152.58 (D8199)	
200	2001-UP	6	FICHT WITH 2 FINGER PORTS FLANGED SLEEVE, .125" Flange Thickness	RS	3.854"	5.460"	4.053"	1144FA	\$152.58 (D8199)
			4.073"				1144FB	\$152.58 (D8199)	
225	1986-87	6	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.500"	5.995"	3.875"	1023SA	\$124.83 (D4118)
			3.885"				1023SB	\$124.83 (D4118)	



Outboard Marine Sleeves
 Toll Free 1-866-753-3832
 advancedsleeve.com

OMC (Johnson/Evinrude)

H.P.	Year	# Cyl	Description	Type	Bore	Length	OD	Part #	Price
225	1988-92	6	STRAIGHT SLEEVE WITH PORTS OVAL EXHAUST	RS	3.685"	5.225"	3.875"	1025SA	\$120.38 (D5287)
							3.895"	1025SB	\$120.38 (D5287)
							3.915"	1025SC	\$120.38 (D5287)
			FLANGED SLEEVE WITH PORTS OVAL EXHAUST, .125" Flange Thickness	3.875"	1025FA	\$151.35 (D8389)			
				3.895"	1025FB	\$151.35 (D8389)			
				3.915"	1025FC	\$151.35 (D8389)			
225	1991-02	6	OCEAN PRO STRAIGHT SLEEVE WITH PORTS 4 FINGER PORTS	RS	3.685"	5.225"	3.875"	1040SA	\$120.38 (D5287)
							3.895"	1040SB	\$120.38 (D5287)
							3.905"	1040SC	\$120.38 (D5287)
			FLANGED SLEEVE, .375" Flange Thickness	3.895"	1040FB	\$139.91 (D4909)			
FLANGED SLEEVE, .200" Flange Thickness	3.895"	1197FB	\$139.91 (D4909)						
225	1998-00	6	3.0L HO STRAIGHT SLEEVE WITH PORTS / Port	RS	3.685"	5.225"	3.875"	1112PSA	\$120.38 (D5287)
							3.895"	1112PSB	\$120.38 (D5287)
			3.0L HO STRAIGHT SLEEVE WITH PORTS / Starboard	3.875"	1112SSA	\$120.38 (D5287)			
				3.895"	1112SSB	\$120.38 (D5287)			
225	1999-UP	6	3L FICHT FLANGED SLEEVE 4 FINGER PORTS, .150" Flange Thickness	RS	3.685"	5.230"	3.975"	1113FA	\$152.58 (D8199)
							3.995"	1113FB	\$152.58 (D8199)
225	2001-03	6	3.3L FICHT HO FLANGED SLEEVE WITH PORTS, .125" Flange Thickness	RS	3.854"	5.460"	4.053"	1135FA	\$152.58 (D8199)
							4.075"	1135FB	\$152.58 (D8199)
235	1980-85	6	STRAIGHT SLEEVE WITHOUT PORTS CROSSFLOW	CS	3.625"	5.125"	3.753"	1001SA	\$66.58 (D8234)
							3.815"	1001SB	\$66.58 (D8234)
							3.878"	1001SC	\$66.58 (D8234)
			FLANGED SLEEVE WITHOUT PORTS CROSSFLOW, 1.425" Flange Thickness	3.753"	1001FA	\$85.94 (D6855)			
				3.815"	1001FB	\$85.94 (D6855)			
				3.878"	1001FC	\$85.94 (D6855)			
250	1998-00	6	3.0L HO STRAIGHT SLEEVE WITH PORTS / Port	RS	3.685"	5.225"	3.875"	1112PSA	\$120.38 (D5287)
							3.895"	1112PSB	\$120.38 (D5287)
			3.0L HO STRAIGHT SLEEVE WITH PORTS / Starboard	3.875"	1112SSA	\$120.38 (D5287)			
				3.895"	1112SSB	\$120.38 (D5287)			
250	2001-03	6	3.3L FICHT HO FLANGED SLEEVE WITH PORTS, 1.425" Flange Thickness	RS	3.854"	5.460"	4.055"	1135FA	\$152.58 (D8199)
							4.075"	1135FB	\$152.58 (D8199)
275	1985-87	8	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.500"	5.595"	3.875"	1013SA	\$124.83 (D4118)
							3.895"	1013SB	\$124.83 (D4118)
			FLANGED SLEEVE WITH PORTS BRIDGED EXHAUST, .250" Flange Thickness	3.875"	1013FA	\$144.24 (D6739)			
300	1985-87	8	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.500"	5.595"	3.875"	1068SA	\$124.83 (D4118)
							3.895"	1068SB	\$124.83 (D4118)
300	1988-93	8	OCEAN PRO STRAIGHT SLEEVE WITH 4 FINGER PORTS	RS	3.685"	5.225"	3.875"	1040SA	\$120.38 (D5287)
							3.895"	1040SB	\$120.38 (D5287)
							3.915"	1040SC	\$120.38 (D5287)
			FLANGED SLEEVE, .375" Flange Thickness	3.895"	1040FB	\$139.91 (D4909)			
FLANGED SLEEVE, .200" Flange Thickness	3.895"	1197FB	\$139.91 (D4909)						
300	1988-95	8	STRAIGHT SLEEVE WITH PORTS BRIDGED EXHAUST	RS	3.685"	5.225"	3.875"	1002SA	\$120.38 (D5287)
							3.895"	1002SB	\$120.38 (D5287)
							3.915"	1002SC	\$120.38 (D5287)
			FLANGED SLEEVE WITH PORTS, .375" Flange Thickness	3.875"	1002FA	\$151.35 (D8389)			
				3.895"	1002FB	\$151.35 (D8389)			